



**ARI QUOTE : 1005 - 2017 CHEVY EXPRESS 4500 CUTAWAY
COFFEE SERVICE TRUCK**

MODEL: CG33803

COFFEE SERVICE TRUCK

SPEC: 1005

PREVIOUS SPEC: 2A9424

CAP COST: \$ 41,950.65

Selected Equipment

Type	Code	Description
	GAZ	(0 P) Summit White
	2WT	Preferred Equipment Group 2WT <ul style="list-style-type: none"> • GT5:4.10 Rear Axle Ratio
	AS5	Reclining High-Back Bucket Seats w/Inboard Armrests Includes head restraints. <ul style="list-style-type: none"> • BA3:Engine Cover Console w/Swing-Out Storage Bin
	BNC	Body Soft-Mount Donut & Bolt For mounting Upfit body to chassis.
	C7I	GVWR: 14,200 lbs (6,441 kgs)
	DHC	Wide-Stance Sail Panel Mounted Outside Mirrors Provides Velvac convex combination right and left hand outside rear view mirrors that are sail panel mounted with arms that provide a wide stance. Mirrors can be utilized with bodies that are up to 96 inch width. Mirrors provide a 63.3 sq. inch flat glass positioned over a 30.1 sq. inch convex glass within a common head. Mirrors are shipped loose in vehicle.
	DRJ	Inside Rearview Mirror w/Rr Vision Camera Display
	L96	Engine: Vortec 6.0L V8 Includes external oil cooler.
	MYD	Transmission: HD Electronic 6-Speed Automatic w/OD Includes tow/haul mode and internal transmission oil cooler.
	QT4	Wheels: 16" x 6.5" 8-Lug Painted Steel HD (6) (40.6 cm x 16.5 cm).
	R05	Dual Rear Wheel Configuration
	US8	Radio: AM/FM Stereo w/CD/MP3 Player Includes seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack and 2 front door speakers. <ul style="list-style-type: none"> • USR:USB Port
	UVC	Rear Vision Camera Camera and cable shipped loose.

WARANT Fleet Customer Powertrain Limited Warranty
 Fleet designated delivery types come with 5 years/100,000 miles of coverage for the Powertrain Limited Warranty. Coverage includes the engine, transmission/transaxle, transfer case, drive systems and emission control systems. In addition courtesy transportation and roadside assistance is also covered for 5 years/100,000 miles.

XHF	Tires: Front LT225/75R16E AS BW Jack and spare tire equipment bracket are not included.
YHF	Tires: Rear LT225/75R16E AS BW Jack and spare tire equipment bracket are not included.
ZQ2	Power Convenience Package <ul style="list-style-type: none"> • A31:Power Windows • AU3:Power Door Locks w/Lock-Out Protection
ZQ3	Convenience Package <ul style="list-style-type: none"> • TILT:Tilt-Wheel • K34:Cruise Control
ZX2	Driver & Front Passenger High-Back Bucket Seats Includes head restraints.
ZY1	Solid Paint
~~G	Custom Cloth Seat Trim
UPFITA01	1005 - MICKEY QUOTE: Q6126V15 14' COFFEE SERVICE TRUCK CUTAWAY

D - Driver Paid A - Adjustments

Standard Equipment

Powertrain

- Engine--Vortec 6.0L (364.1 cu.in.) V-8 OHV SMPI 16 valve engine
- Ignition Type--Electronic ignition
- Engine Location & Orientation--Longitudinal engine
- Engine Head & Block--Iron engine block, aluminum engine head
- Engine Cylinders--V-8
- Variable Valve Timing--Variable valve control
- recommended fuel--Regular unleaded
- Alternator--150 amp alternator
- Battery--600 CCA battery with run down protection
- Engine Oil Cooler--Engine oil cooler
- Transmission--6-speed electronic automatic transmission with overdrive
- Transmission Lock-up--Transmission lock-up
- Driver Selectable Program--Driver selection
- Transmission Oil Cooler--HD transmission oil cooler
- Drive--Rear-wheel drive
- Axle Ratio--4.10 axle ratio
- Exhaust--Partial stainless steel exhaust
- Emission Type--Federal emissions

- Powertrain Type--None

Steering and Suspension

- Steering--Hydraulic power-assist re-circulating ball steering
- Brakes--4-wheel disc brakes with front vented discs
- Front Suspension Independence--Front independent suspension
- Front Suspension Type--Front short and long arm suspension
- Front Anti-Roll Bars--Front anti-roll bar
- Front Springs--Front coil springs
- Rear Suspension Independence--Rigid rear axle
- Rear Suspension Type--Rear leaf suspension
- Rear Springs--Rear leaf springs
- Wheels--Front and dual rear 16.0" x 6.50" painted steel wheels
- Wheel Covers--Hub wheel covers
- Tires--LT225/75SR16.0E BSW AS front and rear tires

Safety

- ABS--4-wheel anti-lock braking system with 4 ABS channels
- Safety Lights--Daytime running lights
- Front Airbags--Dual airbags with passenger front-impact side cancellable airbag
- Airbag Occupancy Sensor--Airbag occupancy sensor
- Ignition Disable--Immobilizer security

Comfort and Convenience Features

- Trip Computer--Trip computer
- Trip Odometer--Trip odometer
- Engine Hour Meter--Engine hour meter
- Battery Warning--Battery warning
- Lights On Warning--Lights on warning
- Key in Ignition Warning--Key warning
- Low Fuel Warning--Low fuel warning
- Service Interval Warning--Service interval warning
- PRND in IP--PRND in IP
- Tinted Windows--UV Protection
- Windshield--Variable intermittent front windshield wipers
- Sunvisor Strip--Front windshield sun visor strip
- Dome Light--Dome light
- Variable IP Lighting--Variable IP lighting
- Other Console--Engine cover console with storage
- Cupholders--Front cupholder
- Instrument Panel Storage--Instrument panel bin
- Dashboard Storage--Dashboard storage
- Door Bins--Driver and passenger door bins
- A/C & Heat--Air conditioning
- Radio--AM/FM stereo, clock, seek-scan, with MP3 decoder

- Speakers--2 speakers
- Radio Theft Deterrent--Radio theft deterrent
- Antenna--Fixed antenna
- Retained Accessory Power--Retained accessory power
- 12V DC Power Accessory Outlet--2 12V DC power outlets
- AC Power Outlet--AC power outlet
- Instrumentation--Analog instrumentation display
- Tachometer--Tachometer
- Oil Pressure Gauge--Oil pressure gauge
- Water Temp Gauge--Water temperature gauge
- Volt Gauge--Voltmeter gauge
- Systems Monitor--Systems monitor

Seating and Interior

- Seating Capacity--Capacity of 2
- Front Seats--Bucket front seats
- Front Head restraints--Fixed front head restraints
- Front Armrest--Driver and passenger front armrests
- Driver's Seat--4-way adjustable driver seat with manual reclining, manual fore/aft
- Passenger's Seat--4-way adjustable passenger seat with manual reclining, manual fore/aft
- Front Seat Trim--Vinyl faced front seats with vinyl side and back
- Headliner--Front cloth headliner
- Front Floor Trim--Front vinyl/rubber floor covering

Exterior Features

- Side Impact Bars--Side impact beams
- Front License Plate Bracket--Front license plate bracket
- Body Material--Fully galvanized steel body material
- Window Moldings--Black side window moldings
- Front Windshield Moldings--Black front windshield molding
- Door Handles--Black door handles
- Grille--Black grille
- Door Count--2 doors
- Exterior Mirrors--None
- Bumpers--Front black bumpers
- Exterior Lights--Sealed beam halogen fully automatic headlamps with delay-off
- Paint--Clearcoat monotone paint

Warranty

- Basic--36 month/36,000 miles
- Powertrain--60 month/60,000 miles
- Corrosion Perforation--72 month/100,000 miles
- Roadside Assistance--60 month/60,000 miles
- Maintenance--24 month/24,000 miles

Dimensions and Capacities

- output--342 hp@5,400 rpm
- torque--373 lb.-ft. @4,400 rpm
- bore x stroke & compression ratio--4.0" bore x 3.6" stroke with a 9.40:1 compression ratio
- 1st gear ratio--4.030
- 2nd gear ratio--2.360
- 3rd gear ratio--1.530
- 4th gear ratio--1.150
- 5th gear ratio--.850
- 6th gear ratio--.670
- reverse gear ratio--3.060
- Traction Battery Type--None
- curb weight--5,022 lbs.
- GVWR--14,200lbs.
- Front GAWR--4,600 lbs.
- Rear GAWR--9,600 lbs.
- Front Axle Capacity--4,600 lbs.
- Rear Axle Capacity--9,600 lbs.
- Front Spring Rating--4,600 lbs.
- Rear Spring Rating--9,600 lbs.
- payload--9,156lbs.
- GCWR--16,000 lbs.
- front legroom--41.3"
- front headroom--40.2"
- front hiproom--65.5"
- front shoulder room--68.8"
- length--266.7"
- body width--79.1"
- body height--82.9"
- wheelbase--159"
- Cab to Axle--100.00 " from cab to axle
- Frame Yield Strength--35,000.00 frame yield strength (psi)
- front track--67.8"
- turning radius--28.1'
- fuel tank--33.0 gal.
- min ground clearance--7.0"
- max ground clearance--7.6"

Available Options

Code	Description		
------	-------------	--	--

Vehicle Specifications are subject to change without notice. The actual Manufacturers Invoice for factory orders will be used as the basis for final vehicle pricing.