

# 6001 - 24' DRY BOX TRUCK



2019 HINO 268



CAP COST: \$81,728.00

NOTE: All Images are strictly for reference purposes only.

Items installed may appear physically different on your specific vehicle.



## 6001 24' DRY BOX

### 96" WIDE OUTSIDE

### 24' LONG X 97" HIGH INTERIOR

FRP FRONT WALL

12 GA. FRONT WALL REINFORCEMENTS

14GA GALVANIZED 12' HIGH SCUFF LINER FRONT & DOWN BOTH SIDES

1 1/8 " LAMINATED HARDWOOD FLOOR

3" I BEAM CROSSMEMBERS

Z POST 16" ON CENTER

2 - DOME LIGHTS INSIDE BOX

2 - ROWS RECESSED E TRACK EACH SIDE OF BODY 24" AND 48" OC FROM FLOOR

6 - 16FT RATCHET STRAPS

PREMIUM WHITING REAR ROLLUP DOOR

INTERLIFT 2 STEP DOCK BUMPER

INTERLIFT ILP-25 60X80 ALUMINUM PLATFORM TUCKUNDER LIFTGATE

INCLUDES CAB CUT OFF SWITCH

INTERLIFT H-DUTY RUBBER DOCK PADS

2 - LIGHTED GRAB HANDLES AT ROLL UP REAR DOOR

ANTI SAIL MUD FLAPS

### SAFETY EQUIPMENT

DOT LIGHTS AND REFLECTORS

BACK UP ALARM

ZONE DEFENSE SYSTEM 23 CAMERA



Model	2020 Hino 268
Transmission	Auto - Allison 2200RDS w/Syn Fluids (PTO). w/ FuelSense
Wheelbase	253.0

Standard Options		
Qty	Order Code	Description
1	ENGINE	Engine - HINO J08E-WU Turbo charged and intercooled with glow plugs, 6 cylinder, In-line water-cooled; Max Output 230hp @2500rpm; Max Torque 520lb.ft. @ 1500rpm; 7.68L displacement,
1	INSIGHTSTD	INSIGHT hardware. 1 year telematics. 5 years remote diagnostics.
1	BLHZASTD	Engine block heater (1000W / 120ACV)
1	OIL	Oil Capacity - 16.15 quarts
1	EXHBRAKE	Exhaust Brake - Driver controlled w/steering column Stalk Switch
1	FUELFILT	Fuel Filter - Davco 243 Diesel Pro Heated fuel/water separator. (Diesel Pro 243)
1	ALT	Alternator – Delco 12 volt 130 amp Brush Type
1	BATTERY	Battery - Two 12 volt parallel connection, 600 CCA x 2. GR31
1	STARTER	Starter – Denso 12 volt 4.8 kW / 6.4 HP rating
1	RADIO	Radio - AM/FM with single CD, bluetooth, two speakers.
1	AIRCOND	Air Conditioning - Denso Cab AC System designed specifically for Hino - Refrigerant 134A
1	DISPLAY	Meter Cluster - Information display: Instant and trip fuel consumption, Diesel Particulate Reduction System performance/status, maintenance intervals, engine and vehicle diagnostics.
1	GAUGES	Gauges - Speedometer mph (km/h), odometer, fuel/DEF gauges, coolant temp gauge, engine tachometer, air pressure gauge.
1	FTGRILL	Grille - Chrome plated
1	HORN	Horn - Electric Dual Horn
1	HEAT/DEF	Heater/Defroster - 18,357 BTU/h
1	LAMPS	Lighting - Marker lamps, stop/tail lights, back-up lights, side-flasher lights.
1	MISC	Cab Features - Standard: Cruise control, power steering with tilt and telescopic steering column, cup holders, cigarette lighter, coat hook, bag hook, two overhead compartments, two door pockets, sun visors, side mirrors (1 flat, 1 convex) each side.
1	SEATS	Seats - Vinyl driver seat adjustable reclining, with AIR suspension and two person passenger bench seat. Three point seatbelt for driver and outer passenger, two point seatbelt for center position.

**Standard Options**

Qty	Order Code	Description
1	INDICATORS	Warning Indicators - Oil pressure, brake pressure, coolant level, battery charge, high beam, turn signal, parking brake, engine control system and ABS.
1	FREIGHT	Equalized Freight Charge
1	COOLSYS	Cooling Capacity - 7.075 gallon cooling system capacity
1	WARRANTY_05	Warranty - Basic Vehicle-24 months unlimited mileage; Engine-36 months unlimited mileage; Engine-60 month Extended Coverage, 250,000 miles (includes injectors, fuel supply pump and turbo); Emission-60 months 100,000 miles; Frame Rails & Cross Members-48 months unlimited mileage; Cab-48 months unlimited mileage; ABS-24-36 months 300,000 miles.
1	HWATCH_05	Hino Watch Roadside Assistance - 3-year unlimited roadside assistance including lockout, *out of fuel/DEF, battery jumpstart, information, and warranty towing (2 year coverage). *Fluids are customer pay responsibility. Tire Service - assist customer in arranging for roadside tire service if requested
1	GVWR	GVWR - Gross Vehicle Weight Rating - 25,950 lbs.
1	AIRTANK	Air Tank - 34 liter tank (9 gallon capacity)
1	BRAKES	Brakes - Hydraulic dual circuit with Antilock Brake System (ABS). Front Brakes: 15.375" diameter x 18.96" x 0.74" thickness: Rear Brakes: 15.375" x 18.96" x 0.74".
1	AIRDRYER	Air Dryer - Nabtesco heated air dryer.
1	FRAME	Frame - Straight C Channel frame, ladder type, powder coated, 34" wide, yield strength 80,000 PSI, resistance bending moment (RBM) 1,031,900 in./lbs. (one side no reinforcement).
1	WHEELS	Wheels - Accuride powder coated 22.5" x 8.25" 10-stud disc.
1	TIRES	Front tires - Bridgestone 11R 22.5 R268 Rib pattern; Rear tires - Bridgestone 11R 22.5 M726EL Lug pattern.
1	AXLES	Front Axle - Meritor MFS10, 10,000 lb. capacity, Reverse Elliot "I" beam oil lubricated hubs. Rear Axle - Meritor MS19-14X, 19,000 lb. capacity, full-floating single reduction single speed hypoid gearing.
1	SPRINGS	Front Spring: Tapered leaf springs with shock absorbers, 12,000 lb. rating; Rear Spring: Semi-elliptical main, 21,000 lb. rating.
1	AXLESTD	Rear Axle Ratio - Standard 5.57

**Premium/Upgrade Options**

Qty	Order Code	Description
1	268-20T	253" WB / 185.6" CA
1	HBGRDS	Auto - Allison 2200RDS w/Syn Fluids (PTO). w/ FuelSense
1	Z01DIF	Differential Oil – Synthetic Oil for Rear Differential Road Ranger FE 75W-90
1	PWDL	Power Windows & Power Door Locks.
1	MRRH	Side mirrors - power heated mirrors.



### Premium/Upgrade Options

Qty	Order Code	Description
1	BBUZZ	Backup Alarm.
1	SAFETY	Fire Extinguisher ABC 2.5MP, Triangle Kit (17 1/4" wide x 16 1/2" high).
1	PDI	PDI at Factory.
1	STD90X1	Single 90 gallon aluminum fuel tank
1	No_SalesTax	No Sales Tax