Selector Details

Cap Cost: \$20,178.44 Spec #: 4CRU-19

Level: 4

2019 Chevrolet Cruze 4dr Sedan LS

Selector #: 2817837 Model: 1BR69

08/09/2018

2870

Created: 08/10/2018 10:55:30 AM By: **JLOOBY**

Effective Date: 06/26/2018 City: 29 Hwy: 40 **Fuel Economy:**

2019 Chevrolet Cruze LS Description 1:

Description 2: 4CRU-19 approved 8.10 **Estimated Curb**

Weight

Release Date :

Estimated GVWR

Client: 5968

Picture for general illustration only. COLOR does not represent your selection

| Selected Equipment | | | | | | |
|--------------------|------|--|--|--|--|--|
| Туре | Code | Description | | | | |
| | 1SB | Preferred Equipment Group 1SB | | | | |
| | | MNU:Transmission: 6-Speed Automatic | | | | |
| | A51 | Front Bucket Seats Includes reclining seatbacks and adjustable head restraints. | | | | |
| | | AH3:Driver 6-Way Manual Seat AdjusterAG5:Front Passenger 2-Way Manual Seat Adjuster | | | | |
| | IOR | Radio: Chevrolet Infotainment 3 System Includes 7" diagonal color touchscreen, AM/FM stereo, additional features for compatible phones: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. | | | | |
| | | UQF:4-Speaker Audio System Feature UST:2 Front USB Ports(Includes auxiliary input jack.) | | | | |

LE2 Engine: 1.4L Turbo DOHC 4-Cyl DI w/CVVT

| PAINT | Monotone Paint Application |
|--------|---|
| STDTM | Cloth Seat Trim |
| WARANT | Fleet Customer Powertrain Limited Warranty Fleet designated delivery types come with 5 years/100,000 miles of coverage for the Powertrain Limited Warranty. Coverage includes the engine, transmission/transaxle, transfer case, drive systems and emission control systems. In addition courtesy transportation and roadside assistance is also covered for 5 years/100,000 miles. |
| | |

ZFT LS Convenience Package

- K34:Cruise Control
- BTV:Remote Vehicle Starter System
- UC3:Steering Wheel Controls
 - --(Includes mounted audio and phone interface controls.)
- SK8:Wheels: 16" Aluminum
- --((40.6 cm).)
- NONTR:Tires: 205/55R16 AS BW

D - Driver Paid A - Adjustments

Vehicle specifications are subject to change without notice. The actual manufacturer's invoice will be used as the basis for final vehicle pricing.

Standard Equipment

Powertrain

- Engine--1.4L (83.2 cu.in.) I-4 DOHC gasoline direct injection 16 valve intercooled turbo engine
- Ignition Type--Spark ignition
- Engine Location & Orientation--Transverse engine
- Engine Head & Block--Aluminum engine block & head
- Engine Cylinders--I-4
- Variable Valve Timing--VVT variable valve control
- recommended fuel--Regular unleaded
- Alternator--130 amp alternator
- Battery--80 amp hours (Ah) battery with run down protection
- Transmission--6-speed electronic automatic transmission with overdrive
- Transmission Lock-up--Transmission lock-up
- Tip-Auto--Sequential shift control
- Drive--Front-wheel drive
- Traction Control--ABS and driveline traction control
- Axle Ratio--3.14 axle ratio
- · Exhaust--Stainless steel exhaust
- Emission Type--ULEV emissions
- Powertrain Type--None

Steering and Suspension

- Steering--Electric power-assist rack and pinion steering
- Brakes--DuraLife 4-wheel disc brakes with front vented discs
- Brake Assist--Brake assistance
- Electronic Stability--StabiliTrak electronic stability
- Front Suspension Independence--Front independent suspension
- Front Suspension Type--Front strut suspension
- Front Anti-Roll Bars--Front anti-roll bar

- · Front Springs--Front coil springs
- · Front Shocks--Gas-pressurized front shocks
- Rear Suspension Independence--Rear semi-independent suspension
- Rear Suspension Type--Rear torsion beam suspension
- Rear Springs--Rear coil springs
- · Rear Shocks--Gas-pressurized rear shocks
- Wheels--Front and rear 15.0" x 6.50" steel wheels
- · Wheel Covers--Full wheel covers
- Tires--P195/65SR15.0 BSW AS front and rear tires

Safety

- · ABS--4-wheel anti-lock braking system with 4 ABS channels
- · Safety Lights--Daytime running lights, center high mounted stop light
- Front Airbags--Dual airbags
- · Side Impact Airbags--Dual seat mounted side airbags
- Overhead Airbag--Curtain 1st and 2nd row overhead airbags
- · Airbag Occupancy Sensor--Airbag occupancy sensor
- Knee Airbag--Driver and passenger knee airbag
- · Rear Side Impact Airbag--Rear side-impact airbag
- Seatbelts--Seatbelts with 2 front pre-tensioners, rear center 3 point
- Ignition Disable--Immobilizer security
- Panic Alarm--Panic alarm
- Tracker System--Tracker system
- · Security System--Security system
- Restricted Driving Mode--Teen Driver restricted driving mode

Comfort and Convenience Features

- A/C & Heat--Air conditioning
- · Air Filter--Air filter
- Underseat Ducts--Underseat ducts
- Radio--Voice activation AM/FM stereo, clock, seek-scan, with Chevrolet MyLink radio data system, speed sensitive volume, Chevrolet MyLink external memory control
- Speakers--4 speakers
- Equalizer--Automatic equalizer
- Radio Theft Deterrent--Radio theft deterrent
- streaming audio--Bluetooth streaming audio
- Antenna--Window grid antenna
- LCD Monitors--First Row: 7.0" Screen
- Primary LCD Size--7.0"
- turn-by-turn navigation directions--OnStar Turn-by-Turn Navigation
- Auxiliary Releases & Door Locks--Auto locking power door locks with 2 stage unlock, with integrated key/remote, valet function
- Remote Entry--Remote keyless entry keyfob (all doors)
- Rear Child Safety Locks--Child safety rear door locks
- Trunk/Hatch/Door Release--Power remote hatch/trunk release
- Extra FOB Controls--FOB controls for the trunk/hatch/door/tailgate
- Driver Foot Rest--Driver's foot rest
- Retained Accessory Power--Retained accessory power

- 12V DC Power Accessory Outlet--2 12V DC power outlets
- Emergency SOS--OnStar and Chevrolet connected services capable
- Internet Access Capable--Chevrolet 4G LTE internet access
- · Wireless Connectivity--Bluetooth
- Instrumentation--Analog instrumentation display
- Tachometer--Tachometer
- Water Temp Gauge--Water temperature gauge
- Volt Gauge--Voltmeter gauge
- Compass--Compass
- Exterior Temp--Exterior temperature gauge
- Systems Monitor--Systems monitor
- Check Control--Redundant digital speedometer
- Trip Computer--Trip computer
- Trip Odometer--Trip odometer
- · Oil Pressure Warning--Oil pressure warning
- Water Temp Warning--Water temperature warning
- Battery Warning--Battery warning
- · Low Oil Level Warning--Low oil level warning
- Lights On Warning--Lights on warning
- Key in Ignition Warning--Key warning
- Low Fuel Warning--Low fuel warning
- · Bulb Failure Warning--Lighting malfunction warning
- Door Ajar Warning--Door ajar warning
- Trunk Ajar Warning--Trunk/liftgate ajar warning
- · Service Interval Warning--Service interval warning
- Brake Fluid Warning--Brake fluid warning
- Turn Signal Warning--Turn signal on warning
- Low Tire Pressure Warning--Low tire pressure warning
- Transmission Fluid Temperature Warning--Transmission fluid temp warning
- PRND in IP--PRND in IP
- Steering Wheel--Steering wheel with tilt and telescopic adjustment
- Windows--Power front windows
- Tinted Windows--UV Protection
- 1-Touch Open--Driver and passenger 1-touch down windows
- Windshield--Variable intermittent front windshield wipers
- · Rear Defroster--Rear window defroster
- Interior Mirrors--Dual vanity mirrors
- Rearview Mirror--Day-night rearview mirror
- Dome Light--Dome light with fade
- Reading Lights--Rear reading lights
- Illuminated Entry--Illuminated entry
- Variable IP Lighting--Variable IP lighting
- Floor Console--Full floor console with covered storage
- Glove Box--Glove box
- Cupholders--Front and rear cupholders

- Door Bins--Driver and passenger door bins
- Rear Door Bins--Rear door bins
- Cargo Space Trim--Carpeted cargo area
- · Cargo Light--Cargo light
- Concealed Storage--Concealed storage in the cargo area
- Air Compressor--Tire mobility kit
- Camera--Rear View Camera: yes

Seating and Interior

- · Seating Capacity--Capacity of 5
- · Front Seats--Bucket front seats
- Front Head restraints--Adjustable front head restraints
- · Front Armrest--Center front armrest
- Driver's Seat--8-way adjustable driver seat with manual reclining, manual height adjustable, manual fore/aft, manual cushion tilt
- Passenger's Seat--4-way adjustable passenger seat with manual reclining, manual fore/aft
- Rear Seats--Full folding rear fold forward seatback bench seats
- Rear Head restraints--2 adjustable rear head restraints
- · Front Seat Trim--Cloth faced front seats with cloth side and back
- · Rear Seat Trim--Cloth faced rear seats with carpet side and back
- Door Trim--Cloth door trim insert
- · Headliner--Full cloth headliner
- Front Floor Trim--Full carpet floor covering
- · Floor Mats--Carpet front floor mats
- · Console Insert--Metal-look console insert
- Interior Accents--Chrome interior accents

Exterior Features

- Side Impact Bars--Side impact beams
- Body Material--Fully galvanized steel body material
- · Window Moldings--Black side window moldings
- Front Windshield Moldings--Black front windshield molding
- Door Handles--Body-colored door handles
- Grille--Black w/chrome surround grille
- Door Count--4 doors
- Exterior Mirrors--Dual power remote body-colored folding outside mirrors
- Mirror Style--Regular style mirrors
- Bumpers--Front and rear body-colored bumpers
- Exterior Lights--Aero-composite halogen fully automatic headlamps with delay-off
- Paint--Clearcoat monotone paint

Warranty

- Basic--36 month/36,000 miles
- Powertrain--60 month/60,000 miles
- Corrosion Perforation--72 month/100,000 miles
- Roadside Assistance--60 month/60,000 miles
- Maintenance--12 month/unlimited mileage
- Accessories--36 month/36,000 miles

Dimensions and Capacities

- output--153 hp@5,600 rpm
- torque--177 lb.-ft.@2,000 rpm
- bore x stroke & compression ratio--2.9" bore x 3.3" stroke with a 9.50:1 compression ratio
- 1st gear ratio--4.449
- 2nd gear ratio--2.908
- 3rd gear ratio--1.893
- 4th gear ratio--1.446
- 5th gear ratio--1.000
- 6th gear ratio--.742
- reverse gear ratio--2.871
- city/hwy--29/40
- Traction Battery Type--None
- front legroom--42.0"
- rear legroom--36.1"
- front headroom--38.9"
- rear headroom--37.3"
- front hiproom--53.2"
- rear hiproom--51.9"
- front shoulder room--54.9"
- rear shoulder room--53.2"
- length--183.7"
- body width--70.5"
- body height--57.4"
- wheelbase--106"
- fuel tank--13.7 gal.
- interior cargo volume--14.8cu.ft.

| Paint Matrix | | | | | | | | |
|--|---|---|--|--|--|--|--|--|
| Primary w/LS | | | | | | | | |
| Exterior | Interior | | | | | | | |
| | Jet Black w/Cloth Seat Trim HLF Seat: STDTM-01 | Jet Black/Galvanized w/Cloth Seat Trim HXT Seat: STDTM-01 | | | | | | |
| Red Hot G7C Requires PAINT-01, N/A w/RWK-01 SB2-01 Row1-01 GB8-01 GE0-02 GAN-02 GAZ-01 GB8-01 GE0-02 | Yes | Yes | | | | | | |
| Silver Ice Metallic GAN Requires PAINT-01, N/A w/G7C-02 GAZ-01 GB8-01 GE0-02 | Yes | Yes | | | | | | |
| Summit White GAZ Requires PAINT-01, N/A w/G7C-02 GAN-02 GB8-01 GE0-02 | Yes | Yes | | | | | | |
| Mosaic Black Metallic GB8 Requires PAINT-01, N/A w/RWK-01 SB2-01 Row1-01 G7C-02 GE0-02 G7C-02 GAN-02 GAZ-01 GE0-02 | Yes | Yes | | | | | | |
| Oakwood Metallc GE0 Requires PAINT-01, N/A w/RWK-01 SB2-01 Row1-01 G7C-02 GB8-01 G7C-02 GAN-02 GAZ-01 GB8-01 | Yes | Yes | | | | | | |

Paint tables are option dependent. Some options alter paint choices. Secondary paint table names indicate such options.