

# ARI QUOTE: 104 - 2017 CHEVY EXPRESS 3500 MAINTENANCE

MODEL: CG33405


**MAINTENANCE** 

**SPEC: 104** 

PREVIOUS SPEC: 0A7531

CAP COST: \$ 35,888.40

# Picture for general illustration only



STREETSIDE CURBSIDE

Selected Equipment			
Туре	Code	Description	
	GAZ	(0 P) Summit White	
	52W	(0 I) Neutral w/Vinyl Seat Trim	
	1WT	Preferred Equipment Group 1WT  • L20:Engine: Vortec 4.8L V8 SFI(Includes external engine oil cooler.)  • MYD:Transmission: Electronic 6-Speed HD Auto w/OD(Includes tow/haul mode and internal transmission oil cooler.)  • C6Y:GVWR: 9,600 lbs (4,354 kg)  • GU6:3.42 Rear Axle Ratio  • AR7:Front Reclining High-Back Bucket Seats(Includes outboard head restraints and inboard armrests.)  • DAA:Driver & Front Passenger Vinyl Visors(In lieu of standard cloth.)  • ~~W:Vinyl Seat Trim  • XLP:Tires: Front LT245/75R16E AS BW  • YLP:Tires: Rear LT245/75R16E AS BW	

		<ul> <li>QB5:Wheels: 16" x 6.5" Steel (4)((40.6 cm x 16.5 cm). Includes gray center caps and steel spare.)</li> <li>U0F:Radio: AM/FM Stereo w/MP3 Player(Includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers.)</li> </ul>
	DRJ	Inside Rearview Mirror w/Rr Vision Camera Display
	NC7	Federal Emissions Override For vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington.
	UVC	Rear Vision Camera Display integrated into rearview mirror.
	VAD	Ship-Thru: Leggett & Platt
	WARANT	Fleet Customer Powertrain Limited Warranty Fleet designated delivery types come with 5 years/100,000 miles of coverage for the Powertrain Limited Warranty. Coverage includes the engine, transmission/transaxle, transfer case, drive systems and emission control systems. In addition courtesy transportation and roadside assistance is also covered for 5 years/100,000 miles.
	YA2	Sliding Passenger-Side Door Includes sliding door trim panel.
	YF5	California State Emissions Requirements
	ZLP	Tire: Spare LT245/75R16E AS BW Located at rear underbody of vehicle.
	ZQ3	Convenience Package
		<ul><li>TILT:Tilt-Wheel</li><li>K34:Cruise Control</li></ul>
	ZX2	Driver & Front Passenger High-Back Bucket Seats Includes head restraint.
	ZY1	Solid Paint
	UPFITA01	L&P - F2017148-2 - MAINT SPEC 104 - 8/25/2016 GOOD FOR MY 2017
	UPFITA02	COMPASS GROUP COMPOSITE STD MAINTENANCE PACKAGE CONSISTING OF: 0SS100/0SS131 - SMART SPACE BASE INTERIOR - STREET SIDE MODULE W DIVIDERS - CURBSIDE MODULE WITH THREE DRAWER STACK
	UPFITA03	028583 COMPOSITE PARTITION WITH HINGED LOCKABLE DOOR
	UPFITA04	028890 CROSSVIEW MIRROR. DRILLED AND STOWED FOR SHIPMENT
	UPFITA06	025188 BACK UP ALARM 97DB
	UPFITA07	020982 - 2.5LB FIRE EXTINGUISHER WITH MOUNTING BRACKET
Α	GM	GM E-FLEET
		D. Driver Deid A. Adivetmente

	Available Ontions
Code	Available Options  Description
	OPTION - 02H396 TOMMYGATE CVL-AD-1330 CANTILEVERED 1300LB CAPACITY LIFTGATE
UPFITA11	OPTION - 027867 CODE ALARM CA-3051
UPFITA12	OPTION - 02E726 NAGY REAR VIEW CAMERA WITH 4.3" REAR VIEW MIRROR MONITOR
UPFITA14	OPTION - 02C535 SLICK LOCK KIT INCLUDES TWO(2) LOCKS(SIDE AND REAR CARGO DOORS)
UPFITA16	OPTION - 2 EACH - 02H877 CARGO STRAP 2" X 8FT. STOWED FOR SHIPMENT
UPFITA17	OPTION - 02M418V CLASS 3 HITCH RECEIVER PACKAGE INCLUDES CLASS 3 RECEIVER WIRING HARNESS WITH 7 WAY PLUG , BRAKE CONTROLLER & TOW BAR WITH 2" BALL
UPFITA18	OPTION - 02J170 WALL LINER WITH ONE ROW OF E-TRACK ON EACH SIDE
UPFITA19	OPTION - 027231V STEEL PARTITION WITH HINGED LOCKABLE DOOR
UPFITA20	LEGGETT & PLATT SUPPLY & INSTALL DECALS MUST CHOOSE AT LEAST ONE DECAL PACKAGE BELOW
UPFITA21	NO DECALS
UPFITA22	LEGGETT & PLATT SUPPLY & INSTALL DECALS MUST CHOOSE AT LEAST ONE DECAL PACKAGE BELOW
UPFITA23	BAT-001 BATEMAN DECALS
UPFITA24	BON-003 BON APPETIT DECALS
UPFITA25	CHAR-ELL-004 CHARTWELL DECALS- K12, EAT,LIVE,LEARN
UPFITA26	CHAR-HED-003 CHARTWELL DECALS HIGHER ED
UPFITA27	COMP-001 COMPASS GROUP DECALS
UPFITA28	CROTH-001 CROTHALL HEALTHCARE DECALS
UPFITA29	EUR-BG-ST-005 EUREST-BLACK/GREY STRIPES
UPFITA30	EUR-CAT-002 EUREST CATERING DECALS ONLY
UPFITA31	EUR-CAT-FRFK-001 EUREST CATERING FRESH FORK DECALS
UPFITA32	FLIK-HOSP-003 FLIK HOSPITALITY DINING DECSALAS
UPFITA33	KIM-ES-007 KIMCO-EUREST SERVICES DECALS
UPFITA34	MOM-CAGR-008 MOMENTUM CANTEEN REGULAR LENGTH - DECALS

# UPFITA35 MOM-CAGR-OPT-002 MOMENTUM CANTEEN PHONE NUMBER

#### **Standard Equipment**

#### **Powertrain**

- Engine--Vortec 4.8L (293.3 cu.in.) V-8 OHV SMPI 16 valve engine
- Ignition Type--Electronic ignition
- Engine Location & Orientation--Longitudinal engine
- Engine Head & Block--Iron engine block, aluminum engine head
- Engine Cylinders--V-8
- Variable Valve Timing--Variable valve control
- recommended fuel--Regular unleaded
- Alternator--105 amp alternator
- Battery--600 CCA battery with run down protection
- Engine Oil Cooler--Engine oil cooler
- Transmission--6-speed electronic automatic transmission with overdrive
- Transmission Lock-up--Transmission lock-up
- Driver Selectable Program--Driver selection
- Tip-Auto--Sequential shift control
- Transmission Oil Cooler--HD transmission oil cooler
- Drive--Rear-wheel drive
- Traction Control--ABS and driveline traction control
- Axle Ratio--3.42 axle ratio
- Exhaust--Partial stainless steel exhaust
- Emission Type--Federal emissions
- Powertrain Type--None

#### **Steering and Suspension**

- Steering--Hydraulic power-assist re-circulating ball steering
- Brakes--4-wheel disc brakes with front and rear vented discs
- Electronic Stability--StabiliTrak electronic stability
- Front Suspension Independence--Front independent suspension
- Front Suspension Type--Front short and long arm suspension
- Front Anti-Roll Bars--Front anti-roll bar
- Front Springs--Front coil springs
- Front Shocks--Gas-pressurized front shocks
- Rear Suspension Independence--Rigid rear axle
- Rear Suspension Type--Rear leaf suspension
- Rear Springs--Rear leaf springs
- Rear Shocks--Gas-pressurized rear shocks
- Wheels--Front and rear 16.0" x 6.50" gray steel wheels

- Wheel Covers--Argent hub wheel covers
- Tires--LT245/75SR16.0E BSW AS front and rear tires
- Spare Tire--Underbody w/crankdown mounted full-size spare tire
- Spare Wheel--Steel spare wheel

#### Safety

- ABS--4-wheel anti-lock braking system with 4 ABS channels
- Safety Lights--Daytime running lights, center high mounted stop light
- Front Airbags--Dual airbags with passenger front-impact side cancellable airbag
- Side Impact Airbags--Dual seat mounted side airbags
- Overhead Airbag--Curtain 1st row overhead airbag
- Airbag Occupancy Sensor--Airbag occupancy sensor
- Seatbelts--Front height adjustable seatbelts
- Ignition Disable--PASS-Key III immobilizer security

#### **Comfort and Convenience Features**

- A/C & Heat--Air conditioning
- Radio--AM/FM stereo, clock, seek-scan, with MP3 decoder
- Speakers--2 speakers
- Radio Theft Deterrent--TheftLock radio theft deterrent
- Antenna--Fixed antenna
- Auxiliary Releases & Door Locks--Power door locks
- Rear Child Safety Locks--Child safety rear door locks
- Retained Accessory Power--Retained accessory power
- 12V DC Power Accessory Outlet--2 12V DC power outlets
- AC Power Outlet--AC power outlet
- Instrumentation--Analog instrumentation display
- Tachometer--Tachometer
- Oil Pressure Gauge--Oil pressure gauge
- Water Temp Gauge--Water temperature gauge
- Volt Gauge--Voltmeter gauge
- Systems Monitor--Systems monitor
- Trip Computer--Trip computer
- Trip Odometer--Trip odometer
- Engine Hour Meter--Engine hour meter
- Battery Warning--Battery warning
- Lights On Warning--Lights on warning
- Key in Ignition Warning--Key warning
- Low Fuel Warning--Low fuel warning
- Service Interval Warning--Service interval warning
- Low Tire Pressure Warning--Low tire pressure warning
- PRND in IP--PRND in IP

- Windows--Power front windows
- Tinted Windows--UV Protection
- 1-Touch Open--Driver 1-touch down window
- Windshield--Variable intermittent front windshield wipers
- Sunvisor Strip--Front windshield sun visor strip
- Dome Light--Dome light
- Variable IP Lighting--Variable IP lighting
- Other Console--Engine cover console with storage
- Cupholders--Front cupholder
- Instrument Panel Storage--Instrument panel bin
- Dashboard Storage--Dashboard storage
- Door Bins--Driver and passenger door bins
- Cargo Space Trim--Vinyl/rubber cargo floor, plastic trunk lid/rear cargo door
- Cargo Tie Downs--Cargo tie downs
- Trunk/Hatch/Door Release--Tailgate/rear door lock included with power door locks
- Cargo Light--Cargo light

# **Seating and Interior**

- Seating Capacity--Capacity of 2
- Front Seats--Bucket front seats
- Front Head restraints--Fixed front head restraints
- Front Armrest--Driver and passenger front armrests
- Driver's Seat--4-way adjustable driver seat with manual reclining, manual fore/aft
- Passenger's Seat--4-way adjustable passenger seat with manual reclining, manual fore/aft
- Front Seat Trim--Vinyl faced front seats with vinyl side and back
- Headliner--Front cloth headliner
- Front Floor Trim--Full vinyl/rubber floor covering

#### **Exterior Features**

- Side Impact Bars--Side impact beams
- Front License Plate Bracket--Front license plate bracket
- Body Material--Fully galvanized steel body material
- Window Moldings--Black side window moldings
- Front Windshield Moldings--Black front windshield molding
- Door Handles--Black door handles
- Grille--Black grille
- Door Count--3 doors
- Right Rear Passenger Door--Split swing-out rear passenger's side door
- Rear Cargo Door--Split swing-out
- Exterior Mirrors--Dual manual black convex spotter folding outside mirrors
- Mirror Style--Regular style mirrors
- Bumpers--Front and rear black bumpers

- Rub Strips--Rear black bumper rub strip/fascia accent
- Rear Step Bumper--Rear step bumper
- Exterior Lights--Sealed beam halogen fully automatic headlamps with delay-off
- Paint--Clearcoat monotone paint

#### Warranty

- Basic--36 month/36,000 miles
- Powertrain--60 month/60,000 miles
- Corrosion Perforation--72 month/100,000 miles
- Roadside Assistance--60 month/60,000 miles
- Maintenance--24 month/24,000 miles

# **Dimensions and Capacities**

- output--285 hp@5,400 rpm
- torque--295 lb.-ft.@4,600 rpm
- bore x stroke & compression ratio--3.8" bore x 3.3" stroke with a 9.08:1 compression ratio
- 1st gear ratio--4.030
- 2nd gear ratio--2.360
- 3rd gear ratio--1.530
- 4th gear ratio--1.150
- 5th gear ratio--.850
- 6th gear ratio--.670
- reverse gear ratio--3.060
- Traction Battery Type--None
- curb weight--5,386 lbs.
- GVWR--9,600lbs.
- Front GAWR--4,300 lbs.
- Rear GAWR--6,084 lbs.
- Front Axle Capacity--4,300 lbs.
- Rear Axle Capacity--6,084 lbs.
- Front Spring Rating--4,300 lbs.
- Rear Spring Rating--6,084 lbs.
- payload--4,192lbs.
- towing capacity--8,900 lbs.
- GCWR--14,600 lbs.
- front legroom--41.3"
- front headroom--39.8"
- front hiproom--65.5"
- front shoulder room--68.8"
- length--224.1"
- body width--79.2"
- body height--84.5"

- wheelbase--135"
- Frame Yield Strength--35,000.00 frame yield strength (psi)
- front track--68.1"
- rear track--67.7"
- turning radius--24.6'
- fuel tank--31.0 gal.
- interior cargo volume--239.7cu.ft.
- interior maximum cargo volume--239.7cu.ft.
- interior cargo height--52.9"
- interior cargo length--124.6"
- interior cargo minimum width--52.7"
- interior cargo maximum width--62.9"
- min ground clearance--7.7"
- max ground clearance--8.8"
- load floor height--27.8"

Vehicle Specifications are subject to change without notice. The actual Manufacturers Invoice for factory orders will be used as the basis for final vehicle pricing.