



**ARI QUOTE : 203 - 2017 TRANSIT 250
HI ROOF EXTENDED 148WB**

MODEL: R3X


CARGO DELIVERY

SPEC: 203

PREVIOUS SPEC: 0A7530

CAP COST: \$ 39,825.00

Picture for general illustration only



Selected Equipment

Type	Code	Description
	YZ	(0 P) Oxford White
	VK	(0 I) Pewter w/Vinyl Front Bucket Seats
	101A	Order Code 101A <ul style="list-style-type: none"> • 99M:Engine: 3.7L Ti-VCT V6 --(Includes SEIC capability.) • 446:Transmission: 6-Speed Automatic w/OD & SelectShift • X41:4.10 Axle Ratio • STDGV:GVWR: 9,000 lbs • STDTR:Tires: 235/65R16C AS BSW • STDWL:Wheels: 16" Steel w/Black Hubcaps • 21G:Dual Bucket Seats --(Includes 2-way manual (fore/aft/recline) driver and front-passenger seats and driver-side armrest. Does NOT include heated seats.) <ul style="list-style-type: none"> ○ AIRBAG:Driver & Front Passenger-Side Front Airbags ○ AIRBG2:Safety Canopy Side-Curtain Airbags • V:Vinyl Front Bucket Seats

- 58U:Radio: AM/FM Stereo
- (Includes digital clock and audio input jack.)
 - 913:4 Front Speakers
 - (No rear speakers.)

	148WB	148" Wheelbase
	153	Front License Plate Bracket
	16E	Front and Rear Vinyl Floor Covering Includes wheel well cover and rear/side scuff plates.
	31K	Ship-Thru: Knapheide
	425	50-State Emissions System
	43R	Reverse Sensing System
	60C	Cruise Control w/Message Center Includes full trip computer and engine-hour meter.
	68H	Running Board
	942	Daytime Running Lights
	D9K	Built: Kansas City Plant
	PAINT	Monotone Paint Application
	UPFITA01	SPEC 203 - KNAP QUOTE L3776-16 CARGO DEL 09/14/16 EXPIRES 07/22/2016
	UPFITA02	PROTEXX THERMOFORMED CAB PARTITION WITH WINDOW E-TRACK ONE ROW EACH SIDE - 2.5# FIRE EXTINGUISHER - BACKUP ALARM - WALL CLADDING - FREIGHT RE-ENTRY - EXPIRES 07/22/2016
A	871612	FORD BAILMENT POOL CODE

D - Driver Paid A - Adjustments

Available Options	
Code	Description
UPFITA03	OPTION - REAR CROSSOVER MIRROR
UPFITA05	OPTION - CANTILEVER LIFTGATE CVL-AG-1330EF71
UPFITA06	OPTION - ROSTRA BACKUP CAMERA KIT
UPFITA07	OPTION - DELETE WALL CLADDING - WCK FTR 148 EXT H
UPFITA08	OPTION - PDI COMPLETED UNIT
UPFITA09	OPTION - WEIGHT SLIP
UPFITA10	NO DECALS
UPFITA11	KNAPHEIDE SUPPLY & INSTALL DECALS MUST CHOOSE AT LEAST ONE DECAL PACKAGE BELOW
UPFITA12	CHARTWELL FAYETTE DECALS (NEED PART NUMBER)
UPFITA13	BAT-012 BATEMAN DECALS
UPFITA14	BON-011 BON APPETIT DECALS
UPFITA15	CROTH-005 CROTHALL HEALTHCARE DECALS

UPFITA16	EUR-NS-006 EUREST DECALS - NO STRIPES
UPFITA17	KIM-ES-005 KIMCO EUREST DECALS - *PRICE TO BE DETERMINED WHEN LAYOUT IS PROVIDED
UPFITA18	FLIK-HOSP-006 FLIK HOSPITALITY DECALS
UPFITA19	MOM-CAGR-006 MOMENTUM CANTEEN DECALS
UPFITA20	MOM-CAGR-OPT-001 MOMENTUM CANTEEN PHONE NUMBERS
UPFITA21	MOR-006 MORRISON HEALTHCARE DECAL
UPFITA22	OFF-COF-004 OFFICE COFFEE SERVICES DECALS EXTENDED LENGTH
UPFITA23	OFF-COF-OPT-001 OFFICE COFFEE SERVICES PHONE NUMBERS

Standard Equipment

Powertrain

- Engine--3.7L (227.7 cu.in.) V-6 DOHC SMPI 24 valve engine
- Ignition Type--Electronic ignition
- Engine Location & Orientation--Longitudinal engine
- Engine Head & Block--Aluminum engine block & head
- Engine Cylinders--V-6
- Variable Valve Timing--Ti-VCT variable valve control
- recommended fuel--Regular unleaded
- Alternator--150 amp alternator
- Battery--70 amp hours (Ah) battery with run down protection
- Engine Oil Cooler--Engine oil cooler
- Transmission--6-speed electronic automatic transmission with overdrive
- Transmission Lock-up--Transmission lock-up
- Tip-Auto--SelectShift
- Transmission Oil Cooler--Transmission oil cooler
- Drive--Rear-wheel drive
- Traction Control--ABS and driveline traction control
- Axle Ratio--4.10 axle ratio
- Exhaust--Stainless steel exhaust
- Emission Type--ULEV II emissions
- Powertrain Type--None

Steering and Suspension

- Steering--Hydraulic power-assist rack and pinion steering
- Brakes--4-wheel disc brakes with front vented discs
- Brake Assist--Brake assistance
- Electronic Stability--AdvanceTrac w/Roll Stability Control electronic stability
- Front Suspension Independence--Front independent suspension

- Front Suspension Type--Front strut suspension
- Front Anti-Roll Bars--Front anti-roll bar
- Front Springs--Front coil springs
- Front Shocks--HD front shocks
- Rear Suspension Independence--Rigid rear axle
- Rear Suspension Type--Rear leaf suspension
- Rear Springs--Rear leaf springs
- Rear Shocks--HD rear shocks
- Wheels--Front and rear 16.0" x 7.00" silver steel wheels
- Wheel Covers--Hub wheel covers
- Tires--LT235/65SR16.0C BSW AS front and rear tires
- Spare Tire--Underbody w/crankdown mounted full-size spare tire
- Spare Wheel--Steel spare wheel

Safety

- ABS--4-wheel anti-lock braking system with 4 ABS channels
- Safety Lights--Center high mounted stop light
- Front Airbags--Dual airbags with passenger front-impact side cancellable airbag
- Side Impact Airbags--Dual seat mounted side airbags
- Airbag Occupancy Sensor--Airbag occupancy sensor
- Seatbelts--Front height adjustable seatbelts with 2 front pre-tensioners
- Panic Alarm--Panic alarm

Comfort and Convenience Features

- A/C & Heat--Air conditioning
- Radio--AM/FM stereo, clock, seek-scan
- Speakers--4 speakers
- Antenna--Fixed antenna
- LCD Monitors--First Row
- Auxiliary Releases & Door Locks--Auto locking power door locks with 2 stage unlock, with integrated key/remote
- Remote Entry--Remote keyless entry keyfob (all doors)
- Trunk/Hatch/Door Release--Tailgate/rear door lock included with power door locks
- Driver Foot Rest--Driver's foot rest
- 12V DC Power Accessory Outlet--3 12V DC power outlets
- Instrumentation--Analog instrumentation display
- Tachometer--Tachometer
- Water Temp Gauge--Water temperature gauge
- Trip Odometer--Trip odometer
- Oil Pressure Warning--Oil pressure warning
- Water Temp Warning--Water temperature warning
- Battery Warning--Battery warning
- Lights On Warning--Lights on warning
- Key in Ignition Warning--Key warning
- Low Fuel Warning--Low fuel warning
- Door Ajar Warning--Door ajar warning

- Trunk Ajar Warning--Trunk/liftgate ajar warning
- Service Interval Warning--Service interval warning
- Brake Fluid Warning--Brake fluid warning
- Low Tire Pressure Warning--Low tire pressure warning
- PRND in IP--PRND in IP
- Steering Wheel--Steering wheel with tilt and telescopic adjustment
- Windows--Power front windows
- Tinted Windows--UV Protection
- 1-Touch Open--Driver 1-touch down window
- Windshield--Variable intermittent front windshield wipers
- Interior Mirrors--Dual vanity mirrors
- Rearview Mirror--Day-night rearview mirror
- Dome Light--Dome light with fade
- Reading Lights--Front reading lights
- Illuminated Entry--Illuminated entry
- Variable IP Lighting--Variable IP lighting
- Floor Console--Partial floor console with storage
- Overhead Console--Full overhead console with storage
- Glove Box--Glove box
- Cupholders--Front cupholder
- Instrument Panel Storage--Instrument panel bin
- Door Bins--Driver and passenger door bins
- Cargo Tie Downs--Cargo tie downs
- Cargo Light--Cargo light
- Camera--Rear View Camera: yes

Seating and Interior

- Seating Capacity--Capacity of 2
- Front Seats--Bucket front seats
- Front Head restraints--Adjustable front head restraints
- Front Armrest--Driver front armrest
- Driver's Seat--4-way adjustable driver seat with manual reclining, manual fore/aft
- Passenger's Seat--4-way adjustable passenger seat with manual reclining, manual fore/aft
- Front Seat Trim--Vinyl faced front seats with vinyl side and back
- Headliner--Front cloth headliner
- Front Floor Trim--Front vinyl/rubber floor covering
- Dashboard Insert--Metal-look instrument panel insert

Exterior Features

- Side Impact Bars--Side impact beams
- Body Material--Fully galvanized steel body material
- Bodyside Cladding--Black bodyside cladding
- Wheel Well Moldings--Black wheel well trim molding
- Window Moldings--Black side window moldings
- Front Windshield Moldings--Black front windshield molding

- Door Handles--Black door handles
- Grille--Black grille
- Door Count--3 doors
- Right Rear Passenger Door--Sliding rear passenger's side door
- Rear Cargo Door--Split swing-out
- Exterior Mirrors--Dual power remote black convex spotter folding outside mirrors
- Mirror Style--Regular style mirrors
- Bumpers--Front and rear black bumpers
- Exterior Lights--Aero-composite halogen headlamps
- Paint--Clearcoat monotone paint

Warranty

- Basic--36 month/36,000 miles
- Powertrain--60 month/60,000 miles
- Corrosion Perforation--60 month/unlimited mileage
- Roadside Assistance--60 month/60,000 miles

Dimensions and Capacities

- output--270 hp@6,500 rpm
- torque--250 lb.-ft. @4,000 rpm
- bore x stroke & compression ratio--3.8" bore x 3.4" stroke with a 10.50:1 compression ratio
- 1st gear ratio--4.170
- 2nd gear ratio--2.340
- 3rd gear ratio--1.520
- 4th gear ratio--1.140
- 5th gear ratio--.860
- 6th gear ratio--.690
- reverse gear ratio--3.400
- Stall Ratio--2.00 stall ratio
- Traction Battery Type--None
- curb weight--5,429 lbs.
- GVWR--9,000lbs.
- Front GAWR--4,130 lbs.
- Rear GAWR--5,070 lbs.
- Front Curb Weight--2,822 lbs.
- Rear Curb Weight--2,607 lbs.
- Front Axle Capacity--4,130 lbs.
- Rear Axle Capacity--5,515 lbs.
- Front Spring Rating--4,130 lbs.
- Rear Spring Rating--5,070 lbs.
- Front Tire/Wheel Capacity--6,394 lbs.
- Rear Tire/Wheel Capacity--5,996 lbs.
- payload--3,510lbs.
- towing capacity--6,000 lbs.
- GCWR--12,000 lbs.

- front legroom--39.7"
- front headroom--56.6"
- front hiproom--67.5"
- front shoulder room--67.9"
- length--266.1"
- body width--81.3"
- body height--109.4"
- wheelbase--148"
- front track--68.2"
- rear track--68.6"
- fuel tank--25.0 gal.
- interior cargo volume--487.3cu.ft.
- interior maximum cargo volume--487.3cu.ft.
- interior cargo height--81.5"
- interior cargo length--172.2"
- interior cargo minimum width--54.8"
- interior cargo maximum width--70.2"
- load floor height--28.7"

Vehicle Specifications are subject to change without notice. The actual Manufacturers Invoice for factory orders will be used as the basis for final vehicle pricing.